

VALVOLINE CO

-- NAPA ANTIFREEZE COOLANT

=====

MSDS Safety Information

=====

FSC: 6850
MSDS Date: 05/07/1996
MSDS Num: CCNZD
LIIN: 00N073626
Product ID: NAPA ANTIFREEZE COOLANT
MFN: 01
Responsible Party
Cage: IO754
Name: VALVOLINE CO
Box: 14000
City: LEXINGTON KY 40512
Info Phone Number: 606-357-7847
Emergency Phone Number: 800-274-5263
Published: Y

=====

Contractor Summary

=====

Cage: IO754
Name: THE VALVOLINE CO
Box: 14000
City: LEXINGTON KY 40512
Phone: 606-357-7847
Cage: 72527
Name: VALVOLINE OIL CO
Address: 3499 BLAZER PKY
Box: 14000
City: LEXINGTON KY 40512
Phone: 606-357-7206 / 800-274-5263

=====

Ingredients

=====

Cas: 107-21-1
RTECS #: KW2975000
Name: ETHYLENE GLYCOL (SARA 313) (CERCLA)
% Wt: 83
OSHA PEL: N/K (FP N)
ACGIH TLV: 50 PPM, VAPOR, C
EPA Rpt Qty: 1 LB
DOT Rpt Qty: 1 LB

Cas: 111-46-6
RTECS #: ID5950000
Name: DIETHYLENE GLYCOL
% Wt: 6-16
OSHA PEL: N/K (FP N)
ACGIH TLV: N/K (FP N)

 Cas: 7758-11-4
 Name: POTASSIUM PHOSPHATE
 % Wt: 0.0-7.0
 OSHA PEL: N/K (FP N)
 ACGIH TLV: N/K (FP N)

Name: SUPDAT: BASED ON POSITIVE TEST RESULTS WITH LAB ANIMALS.

Name: FIRST AID PROC: VOMIT BY GIVING SYRUP OF IPECAC/BY GENTLY PLACIN
 FINGERS AT BACK OF THROAT. IF POSS, DO NOT

Name: ING 5: LEAVE UNATTENDED. INHAL: IF SYMPS DEVELOP, IMMEDIATELY MOVE AWAY
 EXPOS & INTO FRESH AIR. SEEK IMMEDIATE MED ATTN;

Name: ING 6: KEEP PERSON WARM & QUIET. IF NOT BREATHING, BEGIN ARTIFICIAL RESPIRATION.
 BREATHING IS DIFFICULT, ADMINISTER OXYGEN. NOTE TO MD: PROD

Name: ING 7: CONTAINS ETHYLENE GLYCOL. ETHANOL DECREASES METABOLISM OF ETHYLENE
 TO TOXIC METABOLITES. ETHANOL SHOULD BE

Name: ING 8: ADMINISTER AS SOON AS POSSIBLE IN CASES OF SEVERE POISONING SINCE ELIMINATION
 HALF-LIFE OF ETHYLENE GLYCOL IS 3 HRS. IF MED

Name: ING 9: CARE WILL BE DELAYED SEVERAL HOURS, USE THREE TO FOUR 1-OUNCE
 "SHOTS" OF 86-PROOF/HIGHER WHISKEY BEFORE

Name: ING 10: OR DURING TRANSPORT TO HOSPITAL. HEMODIALYSIS EFFECTIVELY REMOVES
 ETHYLENE GLYCOL & ITS METABOLITES FROM THE BODY.

Name: SPILL PROC: PUMP LIQUID TO SALVAGE TANK. REMAINING LIQUID MAY BE TAKEN
 SAND, CLAY, EARTH, FLOOR ABSORB OR OTHER

Name: ING 12: ABSORB MATERIAL & SHOVELED INTO CONTAINERS.

Name: RESP PROT: INDUSTRIAL HYGIENIST). ENGINEERING OR ADMINISTRATIVE
 SHOULD BE IMPLEMENTED TO REDUCE EXPOSURES.

Name: PROT GLOVES: NITRILE, NITRILE RUBBER, POLYVINYL CHLORIDE.
 =====

Health Hazards Data

=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYE: EXPOS MAY CAUSE MILD IRRITATION. SYMPTOMS MAY INCLUDE ST

TEARING & REDNESS. SKIN:EXPOS MAY CAUSE MILD IRRIT. SYMPS MAY INCL REDNESS & BURNING. INGEST:SINGLE DOSE ORAL TOX IS LOW. SWALLOWING SM DU RING NORM HNDLG IS NOT LIKELY TO CAUSE HARMFUL EFTS; SWALLOWING L MAY BE HARMFUL. INHAL:EXPOS (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptions Of Overexposure: HLTH HAZ: TO VAP/MIST IS POSS. SY EXPOS: GI IRRIT (NAUS, VOMIT, DIARR), IRRIT (NOSE, THROAT, RESP TRAC DEPRESS (DIZZ, DROW, WEAK, FATG, NAUS, HDCH, UNCON), KIDNEY DMG. OVE MATL (OR ITS COMPONENTS) HAS BEEN SUGGESTED AS A CAUSE OF FOLLOWING LAB ANIMALS & MAY AGGRAVATE PRE-EXISTING (SUPDAT)

Medical Cond Aggravated By Exposure: PRE-EXISTING LUNG DISORDERS, EG ASTHMA-LIKE CONDITIONS, MAY BE AGGRAVATED BY EXPOSURE TO THIS MATERI First Aid: EYES:IMMED MOVE AWAY FROM EXPOS & INTO FRESH AIR. FLUSH GEN W/WATER FOR AT LEAST 15 MIN WHILE HOLDING LIDS APART; SEEK IMMED MED SKIN:REMOVE CONTAMD CLTHG. WASH EXPOSED AREA W/SOAP & WATER. I F SYM PERSIST, SEEK MED ATTN. LAUNDERCLTHG BEFORE REUSE. INGEST:SEEK MED A DROWSY/UNCON, DO NOT GIVE ANYTHING BY MOUTH; PLACE ON LEFT SIDE W/HE IF CONSCIOUS & ALERT, INDUCE

Handling and Disposal

Spill Release Procedures: SM SPILL:ABSORB LIQ ON VERMICULITE, FLOOR ABSORB/OTHER ABSORB MATL. LG SPILL:PERS NOT WEARING PROT EQUIP SHOUL EXCLUDED FROM AREA OF SPILL UNTIL CLEAN-UP HAS BEEN COMPLETED. STOP SOURCE, DIKE AREA OF SPILL TO PVNT SPREADING,

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DESTROY BY LIQUID INCINERATION. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: CNTNRS OF MATL MAY BE HAZ WHEN EMPTI EMPTIED CNTNRS RETAIN PROD RESIDUES (VAP, LIQ &/OR SOLID), ALL HAZ P GIVEN IN MSDS MUST BE OBSERVED.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Fire and Explosion Hazard Information

Flash Point Method: COC

Flash Point Text: 250F,121C

Lower Limits: 3.2%

Extinguishing Media: ALCOHOL FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures: USE NIOSH APPROVED SCBA AND FULL PROTECTIVE (FP N). REFER TO PERSONAL PROTECTIVE EQUIPMENT SECTION OF MSDS.

Unusual Fire/Explosion Hazard: NEVER USE WELDING/CUTTING TORCH ON/NEAR (EVEN EMPTY) BECAUSE PROD (EVEN JUST RESIDUE) CAN IGNITE EXPLO. COMB FORM CARBON DIOXIDE & CARBON (SUPDAT)

Control Measures

Respiratory Protection: IF WORKPLACE EXPOS LIM(S) OF PROD/ANY COMPONENT EXCEEDED, NIOSH APPRVD AIR SUPPLIED RESP IS ADVISED IN ABSENCE OF PR ENVIRON CTL. OSHA REGS ALSO PERMIT OTHER NIOSH RESPS (NEG PRESS TYPE

SPECIFIED CNDTNS (CONSULT

Ventilation: PROVIDE SUFFICIENT MECHANICAL (GENERAL &/OR LOCAL EXHAUST VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: RESIST GLOVES SUCH AS: NEOPRENE

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES (FP N).

Other Protective Equipment: ANSI APPROVED EYE WASH & DELUGE SHOWER (FP PREVENT RPTD/PRLNGD SKIN CONTACT WEAR IMPERVIOUS CLOTHING & BOOTS.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: EXPLO HAZ: MONOXIDE, VARIOUS HYDROCARB OF OVEREXP:DISORDERS OF THESE ORGANS IN HUMANS:KIDNEY DMG; IT HAS BE SUGGESTED AS A CAUSE OF FOLLOWING EFTS IN HUMANS & MAY AGGRAVATE PRE-EXISTING DISOR DERS OF THESE ORGANS: CNS EFTS, LIVER ABNORMS, KI MATL (OR COMPONENT) MAY CAUSE BIRTH DEFECTS IN HUMANS

Physical/Chemical Properties

B.P. Text: 330F,166C

Vapor Pres: 0.800 @68F

Vapor Density: >1

Spec Gravity: 1.135

PH: 9-11

Appearance and Odor: GREEN LIQUID; FAINT GLYCOL ODOR.

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: MAY FORM CARBON DIOXIDE AND CARBON M VARIOUS HYDROCARBONS.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

HAZCOM Label

Product ID: NAPA ANTIFREEZE COOLANT
 Cage: IO754
 Assigned IND: Y
 Company Name: THE VALVOLINE CO
 PO Box: 14000
 City: LEXINGTON KY
 Zipcode: 40512
 Health Emergency Phone: 800-274-5263
 Label Required IND: Y
 Date Of Label Review: 10/08/1996
 Status Code: C
 Label Date: 10/08/1996
 Origination Code: G
 Chronic Hazard IND: Y
 Eye Protection IND: YES
 Skin Protection IND: YES
 Signal Word: WARNING
 Respiratory Protection IND: YES
 Health Hazard: Moderate
 Contact Hazard: Slight
 Fire Hazard: Slight
 Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE. ACUTE: EYE: EXPOSURE MAY CAUSE MI
 IRRITATION. SYMPTOMS MAY INCLUDE STINGING, TEARING AND REDNESS. SKIN
 EXPOSURE MAY CAUSE MILD IRRITATION. SYMPTOMS MAY INCLUDE REDNESS AND
 ING ESTION: SINGLE DOSE ORAL TOXICITY IS LOW. SWALLOWING SMALL AMOUN
 NORMAL HANDLING IS NOT LIKELY TO CAUSE HARMFUL EFFECTS; SWALLOWING L
 AMOUNTS MAY BE HARMFUL. INHALATION: EXPOSURE TO MIST MAY CAUSE
 GI IRRITATION, CNS DEPRESSION AND KIDNEY DAMAGE. CHRONIC:CNS EFFECTS
 ABNORMALITIES, KIDNEY DAMAGE, BIRTH DEFECTS.

=====
 Disclaimer (provided with this information by the compiling agencies):
 information is formulated for use by elements of the Department of D
 The United States of America in no manner whatsoever expressly or im
 warrants, states, or intends said information to have any applicatio
 viability by or to any person or persons outside the Department of D
 nor any person or persons contracting with any instrumentality of th
 States of America and disclaims all liability for such use. Any pers
 utilizing this instruction who is not a military or civilian employe
 United States of America should seek competent professional advice t
 and assume responsibility for the suitability of this information to
 particular situation regardless of similarity to a corresponding Dep
 of Defense or other government situation.

